Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

CURR NT CERIAL REGGRD

* FEB 1'- 1944 *

OF ASKIGULTURE

Domestic wool: Weekly average prices at Boston, 1942

(Cents per pound) Scoured basis

U.S. HFPARTEENT	o i i i i i i i i i i i i i i i i i i i	ड, मण ड	common and Braid	85.0	85.0	85.0	85.0	85.0		× 5.0	to t	0.00 0.10 0.10	00 1 00 1 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000 1 000 1 000 1		8000	0.68	0.00	0,00	D 00 00 00 00 00 00 00 00 00 00 00 00 00	200	000	0,4%	O. 450.	84°C	% to €	84	the
	, ,	1618 56	blood: Co	0.98	0.98	0.98	86.0	86.0	0.98	86.0	1.00 10.1	88.5	88.5	0.00	88.5	288.5	89.0	89.0	89.0	0.68	0.00	89.0	0.00	0.48		0.48	0° th8	3	areas of
		1/4 blood:	combing :1	91.5	91.5	91.5	91.5	. 91.5	91.5	91.5	93.0	93.0	93.0	93.0	93.0	93.0	. 93.5	93.5	93.5		93.5		2	-	-		67.5	87.5	the farm land
	eece 2/	56 s 5/8 blood:	combing:	0.76	97.0	97.0	97.0	97.0	97.0	97.0	0.66	0.66	0.66	0.66	0.66	0.66	100.5	100.5	100.5	100.5	100.5	100.5	100.5	91.5	91.5	92.0	92.0	. 92.0	grown in th
1	Bright fl	5818,6018	combing	105.	105.5	105.5	105.5	105.5	105.5	105.5	108.5	108.5	0.011.	110.0	111.0	111.0	112.0	112,0	112.0	112.0	112,0	112.0	112.0	112.0	112,0	112.0		112.0	the wools
		s, 80°s	clo	102.5		103.5	103.5	105.5	105.5	105.5	107.5	107.5	107.5	107.5	107.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	0	109.5	109.5	109.5	all of
		64 s, 70 Fine	combing (Tolaine	115	115.0	115,0	115.0	115.0	115.0	115.0	116.5	117.5	117.5	117.5	119.0	119.5	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120,0	120.0	120.0	120.0	rage, Nearly
	••	4618	1/4 blood	85.0		85.0	85.0	85.0	85.0	85.0	88.0	88.0	0.88	88.0	88.0	88.0	0,88,	88.0	88.0	0.88.	0.88.	0.88.	88.0	88.0	88.0	86.0	86.0	0.98	heavy shrink
		18h	1/4 blood combing	90°	90,27			90,21	90.5	. 90.5	. 92.0	92.0	92.0	92.0	92.0	92.0	92.0	. 92,0	92.0	92.0	92.0	. 92.0	92.0	.92.0	92.0	0.06	0°06	9,68	moderately h
	t fleece 1	561s	.3/8 blood combing		95.0	, S.	. 9. O. 7.	. 95.0	95.0	95.0	. 97.5	97.5	. 97.5	97.5	97.5	97.5	. 99.5	99.5	99.5	. 99.5	. 99.5	5.66	99.5	99.5	99.5	97.5	. 97.5	0.46	and of
	Semi-bright	-58's,60's	1/2 blood	103	107.5	707 7	107 107	107.50	103.5	103.5	107.5	107.5	107.5		107.5		109.5	100.5	109.5	109.5	5	6	109,5	6	0	6	109.5		rk in color
		18, 80 s	المراد المراد	7. 101	1000	יוסר ר	יוס ר	100.	162,5	102.5	105.0	105.0	105.0	105.0	105.0	105.0	105.5	105.5	105.5	105,5	105.5	105.5	105.5	105,5	105.5	105,5	105.5	105.5	somewhat dark
		8, 70	ine bin	Staple)	O OFF	סיטונ	0.011	0.011	110.0	110.0	1,12,5	112.5	112,5	112.5	115.0	115.0	115.5	717	115.5	115.5	115.5	115.5	115.5	115.5		115.5	10	115.5	that are a
		Week	ended		Jan. 10	160.	77	TO 40H)		. 28	Mar. 7	- 1	12.	, , ,	Anr. 4	11	1 00	255	May 2		91		05.	June 6	-	18	. 27	S LOOM.

1/ Wools that are somewhat dark in color and of moderately nearly shrinkage. Nearly all of the wools from in parts of Minnesota, Visconsin, Iowa, and Missouri, Dakotas, Rensas, and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota, Iowa and Missouri. Wools from Kentucky, Virginia, and Tennessee usually are of this type. Bright wools are also grown in parts of Minnesota, Iowa and Missouri. Mools from Kentucky, Virginia, and Tennessee usually bring prices I to 3 cents per pound, grease basis, above bright fleeces because of their lighter shrinkage. U. S. Department, of Agriculture.

d basis

142 1 Parall

Domestic wool: Weekly average prices at Boston, 1942 (Cents per pound)
Scoured basis

1	20	p																											ļ	
	3618, 401	Common and Braid		83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83.5	83,5	83.5	83.5	83.5	.83.5	83.5	83.5	88.0	of the
	1461,8	1/4 blood	0° †8	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	8€ 0.	85.0	85.0	85.0	0.68	areas
3 2/	1818,5018	ng	87.5	88.0	0.68	89.0	0.68	89.0	89.0	0.68	89.0	92.5	92.5	92.5	92.5	92.5	92,5	92.5	92.5	92.5	。 ま	っま	っ。お	0,46	0,46	0.5	。ある	o. ま	o.お	farm land
Bright fleece	100	combing:	92.0	92.5	92.5	92.5	94.5	94.5	94.5	94.5	94.5	99.0	0.66	101.5	101.5	101.5	101.5	101.5	101.5	101.5	103.5	103.5	103.5	103.5	102.0	102.0	102.0	102.0	102.0	proun in the
Bri		combing:	112,0	112.0	112,0	112.0	112,0	112,0	112.0	112,0	112,0	112,0	112,0	114.0	114.0	114.0	114.0	. 11h.o	114.0	114.0	114.0	114,0	114,0	111,0	114.0	114.0	111,0	1,14,0	114.0	a Loon
		rine	109.5	109.5		109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	* 109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	109,5	10%	109.5	109.5	ماع مل الم
	64's, 70's, Fine :	combing :	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120,0	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120,0	123.0	120,0	120,0	120,0	120.0	Moon
••	19th	blood:	0.98	0.98	0.98	86.0	0.98	86.0	86.0	86.0	0°98	0*98	0.98	0.98	0.98	86.0	0.98	0.8	0.98	0.98	0.98	86.0	86.0	86.0	. 0.98	86.0	0.98	0,98	88.5	t abrahaltore
	TD.	/# blood combing 1/4	83.0	88.0	.88.0	03°0	28.0	88°0	88.0	8%.0	88,0	92.0	92.0	92.0	92,0	92,0	92,0	92,0	92.0	92.0	93.5	93,5	R 7.00	93.5	93.5	93.5	93.5	93.5	'm'	truch Tr hoper
1/	h: 819	/8 blood 1/4 combing com	92.0	92.0	92.0	92.0	93.5	93.5			93.5	97.0	97.0	0.001	100,00	100.00	100.00	0°001	100.0	100.00	102,5	102,5	102.h	102.5	101.5	101,5	101.5	101.5	201.5	of moderntelt
ht fleece	s, 60 is	blood 3	0		109.5	5	0	109.5	109.5	109.5	109.5	109.5	10	10	109.5	10	10	10	10	9.51	9.5	5	16	In Cont	10	50	5	II.	in,	San an Lon
Semi-bright		ing.			105.5		105.5	105.5	2	5	10	10	10	10	10	10	10	10		105.5	105.5	105.5	E. R.C.	10 L T C L 1	107.5	10% 5	107.5			חשר הפינה ימו
	701s,	ng le)	115.5		115.5	115.5	115.5	115.5	115.5	115.5	115.5	115,5	115.5	115.5	115,5	115.5	115.5	115.5	115.5	115.5	115.5	115.5	7,7,7	715.5	115,5	115.5	115.5		15.5	and companies
	10	•• ••	7 7	_	18 1	25		200							26 1			17		31 1			21 1	28	5		07	9	43 1	that
	Week	ended	July.	H	7	cu	Aug.	No. of Parties		CV.	CU	Sept.	-	7		Oct.		-	U	1	Nove	-	N	N	Dec.	-	H	N	Jan. 2/4	1/ Wool

Dakotas, Nebraska, Kansas and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota, Wisconsin, lowa, and Missouri.

2/ Wools that are bright in color and of relatively light shrinkage. Nearly all of the wools grown in the states east of the Mississippi
River are of this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennessee this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennessee usually bring prices 1 to 3 cents per pound, grease basis, above bright fleeces because of their lighter shrinkage. Department of Agriculture. Domestic Wool: Weekly average prices at Boston, 1942 (Cents per pound)
Scoured basis

の影響

*

CURRENT SERIAL RECORD

Lbaes) Bud.		(Fall)	98.5		98.5	98.5	200 200 200	2000	28.5	101.5	101.5	101.5	101.5	101.5	101.5	TOT	LOT LOT			101.5			TOI.	•		101.5	101.5
2/ (Original		combing (8 months)	106.5	106.5	106.5	106.5	106.5	106.5	106.5	107.0	0.701	107.0	107.0	108.0	108,0	108°0	108.0	108.0	108.0	TOX.O.	108.0	108,0	108.0	108.0	108.0	108.0	108.0
Fine Texas		(12 months)	112,5	112.5	112.5	112.5	112.5	112.5	112.5	113.5	114.5	114.5	114.5	116.0	116.0	116.5	116.5	0	116.5	116.5	116,5	0	ن	116.5	9	9	116.5
••		and and	85.0	85.0	85.0	85.0	85.0	85.0	85.0	90.5	90.5	90.5	90.5	90.5	90.51	91.5	91.5	91.5	で で で に	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5
	1,618	I/H blood	86.5	86.5	86.5	86.5	86.5	86.5	86.5	0.06	8	0.06	00.00	90.0	0.00	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5		91.5	91.5
	4818.501s	1/4 blood combing	91.5	91.5	91.5	91.5	91.5	91.5	91.5	かった。	94°50	0*96	0.96	96.5	96.5	96.5	96.5	96.5	96.5	96.5	96.5	96.5	96.5	96.5	96.5	95.5	95.5
	618	3/8 blood clothing		93.0		93.0	93.0	93.0	93.0	き。か	な。お	95.5	95.5	8.5	95.5	35.5	95.5	. 95.5	95.5	95.5	95.5	95.5	95.5	95.5	35.5	95.5	95.5
1	5	/8 blood		. 97.0	97.0	0.16	0.76	0.76	97.0	100.5	102,0	102,5	102.5	103.5	103.5	104.5	104.5	-	104.5	104.5	104.5	104.5				104.5	
Town + Com	6+00++10+	1/2 blood: 3 clothing.	101,5	101.5	01.	101.5	101.5	101.5	101.5	102,5	102,5	102,5	102.5	102,5	102.5	102.5	102,5	102,5	102.5	102,5	102.5	102.5	102.5	102.5	102.5	102.5	102.5
en en de la companya	5818	1/2 blood:1 French :		107.0	107.0	107.0	107.0	107.0	107.0	108.5		109.5	109.5	110.0	110.0	110.0	110.0	110,0	110.0	110.0	110,0	.010.0	110.0	110.0	110.0	110,0	110.0
		:1/2 blood: combing:	109.0	109,0	109.0	109.0	109.0	109.0	109.0	111.5	111.5	113.5	113.5		114.5						-	114.5			114.5		114.5
	8	Fine			03		103.5	41	-	-	-		106.5	-	107.5	07.		107.5	-	107.5	107.5	107.5	107.5	107.5	107.5	1	107.5
	7018, 801	Fine French:	111.5	111.5		111.5	111.5	111.5	111:45	113.5	115.0	116.5	116.5		116.5	117.5	117.5	117.5	117.5	117.5	117.5	117.5		1-	117:5	-	115.5
	6418,	Fine combing:		9	116.0	116.0	.116.0	116.0	116.0	116.5	119.0	119.0	119.0	121.5	121.5	121,5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	121.5	-	119.0
		ended	Jan. 10		志	31	Feb. 7		, 21		Mar. 7	7,7	21		Apr. 4		18		May 2	9	91	23	30	June 6	13	2	27

I/ Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain states, including Arizona, and New Mexico, and in the range areas of the Dakotas, Nebraska, Kansas, and Oklahoma, Territory wools cover a wide range in shrinkage, and in color.

2/ Wools grown under range conditions in the range areas of Texas, They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage.

Food Distribution Administration, U. S. Department of Agriculture.

Domestic wool: Weekly average prices at Boston, 1942 (Cents per pound)
Scoured basis

al bags)		Clothing (Fall)	(110-)	101.5	101.5	101.5	101.5	101,5	101.5	101.5	101.5	101.5	101.5	101.5	101.5	101,5	101.5	101.5	101.5	101.5	101.5	101.5	101.5	101.5	101.5	101.5	101.5	101.5	101.5	101.5	Commence of the latest designation of the la
s 2/ (Original	French :	combing":	(SHOTOTION O)	1.10.0	110.0	110.0	108,0	108.0	108.0	108.0	108,0	108,0	108,0	108.0	108.0	108,0	108.0	108,0	108.0	108.0	0.201	108.0	108.0	108,0	108.0	108,0	108.0	108.0		108.0	
Fine Texas	••	Combing :		116.5	116.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0.	116.0	116.0	0.911	116.0	116,0	116.0	116.0	116,0	116.0	116.0	116.0	116.0	116.0	116.0	117.0	
••	. S.	141 s : 00	न पुर	91.5	91.5	2,16	91.5	91.5	91.5	91.5	91.5	. 91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	27.5	91.5	91.5	91.5	91.5	91.5	92.0	and considered first of second dates, and other property and a second date of the second dates of the seco
	1,618	Low	pood.	91.5	. 91.5	91.5	91.5	91.5	91.5	91.5	. 91.5	. 91.5	91.5	. 91.5.	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	91.5	\$ - 10.	0.46	the state of the s
	STO ROTA	/h blood	combing 1	. 95.5	95.5	95.5	. 95.5	95.5	. 3.5	95.5	. 95.5	95.5	0.96	96.0	0.96	0.96	0.96	96.0	0.96	9.0	0.96	0.96	0.96	0.96	96.0	0.96	0.96	0*96	0.96	25.5	The second secon
* .	041	8 blood 1		95.5	95.5	35.5	95.5	3.5	92.0	92.0	92.0	92.0	0.46	0.46	1:0° t16	0° †6	0.46	0.46	0.46	0.46	· · · · · · · · · · · · · · · · · · ·	0,46	0° 76	00,46	94.0	· 0.	0"116	0.46	96.5	96.5	The state of the s
	5618	/8 blood: 3/	combing; c	104.5	104.5	104.5	104.5	104.5	101.5	101.5	101.5	101.5	103.5	103.5	103.5	103.5	103,5	103.5	103.5	103.5.	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	103.5	And the same of th
ry 1/	••	/£: poola	clothing; c	2,5	2.5	2,5	102.5	5.	2,57		r.	10	106.5	. 2	5	5	5	106.5	5	J.	5	ري	5	5	5	TC.	5	5	90	6.5	Annual Control of the Publishers
Territory	60°s	blood: 1/2	rench cl		110.0 10	г	110,01	110.01	01 0 011	110,0 10	110.011	10.01	10.01	110.01	110,0		O.	110.01	0	0.	0.	10.01.	110.0 1	110.0	0	0	110.0.1	10.01	10.01	0.0	
	581's,	10001/	lng	5	5	5	5		5	5	٠,				57	5	ال ا	5	5	.2	10	יר. ר	2	10	10	114.5 1.		10	7	10	
		:1/5	othing comp	5	,5 114°	5	r	,5 114;	.5 114	,5 · 114	.5 . 11	.511	יי	5	411 ο.(411 000	0	0	0	0.	0.	. 0		0	0	0.	411 000	0.	Andrew Company of the Company of the Company
	3, 80 Fs	**	[]		5.5. 107	5	5	5	5	5.5. 107	T.	5	5	5	5.5. 110	"		5.5. 110	10	7	.:		5.5 110	5.5 . 110	5.5 110	10	5.5 110	5.5 110	111 6	10	
	641s, 701s	••	ag: French		0 115	O TIE	0 115	O 11	0 115	0 115	0 115	0 11	0 115	0.	0 11	0 115	0.	0. 11	0. 11	0. 11.	0.	0. 11	0 115	0 11	0 .11	0 11	0 11	0 115	0 115.5	0 11.5	The second secon
		Fine	: (Stapl	119,0	0	119.	119.	119.	119.0	119.0	119.	119:0	119.	119.	119:0	119.	119.	119.	119.	119.	119.	119.	119.	119.		9		119.	119.0	119.	
A. A.	1000	week		July 4		18	127	Aug. 1	, po	H	22	.29	Sept. 5	12	19	26	0ct. 3	-	71	†25.	31	Nov. 7	7,7	·27	.28	Dec. 5	Z'I	9T.	5,6	Jan. 2/43	

2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage. Food Distribution Administration, U. S. Department of Agriculture. 1/ Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain states, including Arizona, and New Mexico, and in the Territory wools cover a wide range in shrinkage, and in color. range areas of the Dakotas, Webraska, Kansas, and Oklahoma,